

GET ??????: ?????????? ????????

???????????????? ????????????

????????????????????

```
https://cld.alovoice.uz/getpeers/YOUR_TOKEN
```

Получение списка номеров для сотрудников, для совершения звонков и для приёма входящих обращений

Response

json ▣

```
[
  {
    "number":100, "secret":"voip123", "type":"sip"
  },
  {
    "number":200, "secret":"voip123", "type":"sip"
  },
  {
    "number":300, "secret":"voip123", "type":"sip"
  }
]
```

Headers

token

YOURTOKEN

Example Request (curl)

Метод: Получить список внутренних звонков (curl)

```
curl --location 'https://cld.alovoice.uz/getpeers/YOUR_TOKEN' \
--header 'token: YOURTOKEN'
```

Example Response

200OK

Body (json)

▣▣

```
[
  {
    "id": 8396,
    "number": 2005,
    "username": 2005,
    "secret": "asdasdasd",
    "paystatus": "free",
    "status": "off",
    "block": 0,
    "dnd": false,
    "isws": false,
    "lastip": null,
    "isdef": null,
    "extnumber": "default",
    "rule": 0,
    "trunk_id": 37,
    "amoid": false,
    "bxid": false,
    "windowsapp": "https://cld.alovoice.uz/xxx",
    "mobileqr": "https://cld.alovoice.uz/xxx",
    "payto": 0
  },
  {
    "id": 395,
    "number": 2004,
    "username": 2004,
    "secret": "sxsxsx",
    "paystatus": "free",
    "status": "off",
    "block": 0,
    "dnd": false,
    "isws": false,
    "lastip": null,
    "isdef": null,
    "extnumber": "default",
```

```
"rule": 0,  
"trunk_id": 37,  
"amoid": false,  
"bxid": false,  
"windowsapp": "https://cld.alovoice.uz/xxx",  
"mobileqr": "https://cld.alovoice.uz/xxx",  
"payto": 0  
},  
{...}  
]
```

Revision #5

Created 2026-01-23 14:56:19 UTC by Master

Updated 2026-01-23 15:44:23 UTC by Admin